

Date: Friday, 22/08/2008 10:03:50 AM
User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SADDLE FITTING, FWD (OUTBOARD/INBOARD)
Job Number : 41588	
Estimate Number : 10531	
P.O. Number :	Part Number : D2572
This Issue : 22/08/2008 S.O. No. :	Drawing Number : D2572 REV E
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : MACHINED PARTS	Drawing Revision : E
Previous Run : 40515	Material :
Written By :	Due Date : 12/09/2008 Qty: 8 Um: Each
Checked & Approved By : <u>JUL 08.8.22</u>	
Comment : Est: 1 02.10.02 Re-format; Change to Dwg Rev. D & incorporated D2572KJ	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D6101005	Saddle Billet
-----	----------	---------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 8.0000 Each(s)
7075-T7351 8.25X5.0X2.5
Make from D6101-005 billet for D2572
Ensure that grain is along 5.00" length
Batch No: B34374

8.5 08/09/20 (8)

2.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1
Program Batch No. 8.5 Double check by: JL

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets
2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
4-Deburr and remove all machining marks
5-Tumble to remove shap edges.

ml / 8.5 08/09/20 (8)

3.0	MILLING CONV.	CONVENTIONAL MILLING MACHINE
-----	---------------	------------------------------



Comment: CONVENTIONAL MILLING MACHINE
Machine keyway as per dwg D2571 & D2572

ml / 8.5 08/09/20 (8)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 22/08/2008 10:03:50 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD)

Job Number: 41588

Part Number: D2572

Job Number:



Seq. #:

Machine Or Operation:

Description :

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

mk

08/09/23

(8)

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

JL

08/09/26

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

M-A

08/09/26

(8X)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

1:15
320°F
1:45

M-A

08/09/26

(8X)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

8/9/26 *SP*

(87)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

432

8/9/26

54

(87)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/09/30

Job Completion



08/09/29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 41588
Description: Saddle, Fwd Inboard		Part Number: D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		.438	.438	.438	.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.003	8.003	8.000	8.002		
F	0.490	0.510		.505	.500	.508	.501		
G	0.257	0.262		.258	.258	.259	.251		
H	0.375	0.380		.376	.376	.377	.377		
I	0.490	0.510		.500	.500	.504	.503		
J	1.174	1.184		1.178	1.178	1.178	1.177		
K	0.558	0.578		.569	.568	.570	.570		
L	1.174	1.184		1.178	1.178	1.178	1.178		
M	1.490	1.500		1.495	1.495	1.495	1.494		
N	2.495	2.505		2.500	2.500	2.499	2.499		
O	3.869	3.879		3.874	3.874	3.872	3.873		
P	0.115	0.135		.125	.125	.126	.127		
Q	0.115	0.135		.135	.131	.135	.135		
R	0.240	0.260		.254	.254	.251	.250		
S	0.115	0.135		.130	.130	.131	.133		
T	0.178	0.198		.184	.188	.188	.188		
U	2.940	2.980		2.960	2.960	2.960	2.966		
V	0.230	0.250		.242	.242	.240	.241		
W	0.115	0.135		.131	.131	.129	.130		
X	0.307	0.312		.310	.310	.310	.310		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.360	.360	.357	.364		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.625	.625	.627	.628		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.250	.250	.252	.252		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		.125	.125	.135	.135		
AG	0.240	0.280		.250	.250	.250	.250		
AH	0.240	0.260		.250	.250	.251	.251		
AI	2.000	2.020		2.000	2.000	2.002	2.002		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by: <i>SL</i>
Date: 08/09/22 / 08/09/23

Audited by: <i>J.L</i>
Date: 08/09/26

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	<i>JA</i>

DART AEROSPACE LTD	Work Order: 41588
Description: Saddle, Fwd Inboard	Part Number: D2572
Inspection Dwg: D2572 Rev. E	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		.439	.439	.439	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.001	8.001	8.000	8.000		
F	0.490	0.510		.501	.502	.501	.500		
G	0.257	0.262		.259	.259	.259	.259		
H	0.375	0.380		.377	.377	.377	.377		
I	0.490	0.510		.502	.503	.501	.503		
J	1.174	1.184		1.179	1.178	1.178	1.178		
K	0.558	0.578		.570	.569	.570	.571		
L	1.174	1.184		1.179	1.177	1.178	1.178		
M	1.490	1.500		1.494	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.499	2.498	2.498		
O	3.869	3.879		3.874	3.873	3.873	3.872		
P	0.115	0.135		.127	.126	.126	.126		
Q	0.115	0.135		.135	.135	.135	.135		
R	0.240	0.260		.251	.250	.251	.250		
S	0.115	0.135		.131	.133	.133	.134		
T	0.178	0.198		.188	.188	.188	.188		
U	2.940	2.980		2.960	2.960	2.966	2.966		
V	0.230	0.250		.241	.241	.240	.242		
W	0.115	0.135		.133	.133	.134	.133		
X	0.307	0.312		.310	.311	.311	.311		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.365	.366	.367	.367		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.628	.627	.627	.628		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.254	.254	.252	.253		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.260	.260	.258	.256		
AH	0.240	0.260		.251	.251	.250	.250		
AI	2.000	2.020		2.003	2.001	2.003	2.002		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									



Measured by: <i>mp</i>
Date: 08/09/23

Audited by: <i>JL</i>
Date: 08/09/26

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	<i>[Signature]</i>

RELEASED


05.12.06





NOTES

MATERIAL: 7075-T7351 (QQ-A-250/12)
(REF DART SPEC. D6102-003)
FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER
DART QSI 005 4.3
BREAK ALL SHARP EDGES 0.010 TO 0.020
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 1 ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX DEPTH OF 0.010
2 CHAMFER 0.063" x 45° AROUND THIS SURFACE (TYPICAL 2 PLACES)
3 CHAMFER 0.063 x 45° ALL AROUND
4 CHAMFER 0.033 x 45° (SEE DETAIL C) E



SECTION A-A

DETAIL C
SCALE 2:1

E	05.07.13	ADD CHAMFER ON RIDGE NOTE 4
D	02.09.06	ADD RIDGES; TIGHTEN TOLERANCES
C	99.10.22	INCORP. DEO 9123/9079/9102 ADD DIMENSIONS PER TSR A1177
B	96.12.02	ADD GRAIN DIR., 0.438 WAS 0.425
A	96.09.16	NEW ISSUE

DESIGN	DS	DRAWN BY	PH	DART	DART AEROSPACE LTD. HARRISBURG, ONTARIO, CANADA
CHECKED	#	APPROVED	#	DRAWING NO.	REV. E
DATE	05.07.13	TITLE	INNER FWD SADDLE	D2572	SHEET 1 OF 1
		SCALE	2:3		

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE LTD.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 41588

